

3D Modeling for Visual Analyses of Recent and Historical Weather and Ground Water Patterns

Reuben Reyes¹ and Jad R. Ziolkowska²

University of Oklahoma

¹ Oklahoma Climatological Survey, Oklahoma Mesonet

² Dept. of Geography and Environmental Sustainability



Examples

- Radar rainfall estimates in Oklahoma from 2014 and 2015
 - 3D printed models
 - VRML for VR
- Visual representation of ground water levels in Oklahoma & Texas
 - Data sets in KML
 - Uses in Virtual Globes or GIS
 - Online interactive web using CesiumJS
- Tornado totals by county in Oklahoma from 1950 to 2017
 - 3D printed models
 - KML and CesiumJS






Radar rainfall estimates in Oklahoma

- NWS Arkansas-Red Basin River Forecast Center or ABRFC
 - Data as netCDF at one hour intervals
 - Each 1 hour data set was added into a new netCDF for year totals
- 3D surface using Z as rainfall totals
 - netCDF was converted to a surface (Lat, Long, and Z as rainfall totals)
 - Masked only state of Oklahoma and added sides and bottom
- Check for errors on STL
 - Used ADMesh for error checking for holes or inverted facets




Rainfall totals in 2D






Digital STL display



Printed 3D models



VRML format for Virtual Reality







Ground water levels in Oklahoma & Texas

- Subset of 4 year interval sections
 - 2003-2006, 2007-2010, 2011-2014
- Values for each well are normalized statistically
- Visualization in KML/KMZ for use in virtual globes
 - Google Earth and Google Earth Pro
 - NASA World Wind, ArcGIS Explorer, ArcGIS Earth, and
- Used VSL in both Oklahoma and Texas data sets
- Interactive web using Cesium JS
 - Viewable in any modern browser


Visual Shape Logic



**discernible
decrease**



**discernible
increase**




**no discernible
change**

2011-2014


2007-2010

2003-2006

Examples in West Texas




Example views in Oklahoma and Texas





Interactive query of each data point





Tornado totals by county in Oklahoma

- County shape files were converted to KML
- Data from NWS Tornado totals for Oklahoma from 1950 to 2017
- Displayed in 2D
- Extruded county height to match Tornado totals
- Converted to STL for 3D printing
- Added 2 other data sets Area Index and Wind Area Index
- Merged all 3 data sets into KML
- Web access using CesiumJS



Formulas for Oklahoma Counties

$$N = \{n_1, n_2, \dots, n_i, \dots, n_{77}\};$$

n_i = # of tornadoes in i^{th} county from 1950 to 2017

$$N_{\text{per area}} = \left\{ \frac{n_1}{S_1}, \frac{n_2}{S_2}, \dots, \frac{n_i}{S_i}, \dots, \frac{n_{77}}{S_{77}} \right\};$$

S_i = area of i^{th} county

$$\text{scalar1} = \max(N_{\text{per area}})$$




$$P \cdot \text{scalar2}$$

$$P = \left\{ \frac{\sum_{k=1}^{n_1} v_{1k}}{S_1}, \frac{\sum_{k=1}^{n_2} v_{2k}}{S_2}, \dots, \frac{\sum_{k=1}^{n_i} v_{ik}}{S_i}, \dots, \frac{\sum_{k=1}^{n_{77}} v_{77k}}{S_{77}} \right\};$$


v_{ik} = wind speed of k^{th} tornado in i^{th} county

$$\text{scalar2} = \max(P)$$


2D examples of Oklahoma Tornadoes



Extruded counties into 3D



Tornado Totals by
County 1950 - 2017




Tornado Area Index
By County 1950 - 2017



Tornado Wind Index 1950 - 2017

Converted to STL for 3D printing





Links

- Oklahoma and Texas Ground water data sets

http://hitechmex.org/OK_TX/

- Oklahoma Tornado Totals and Area Index and Wind Index

http://hitechmex.org/OK_Tornado_County/




Acknowledgements

- Patrick Madden from 3D-magine
3D prints of Oklahoma rainfall yearly totals 2014 and 2015
- Dr. Lesya Borowska from the University of Oklahoma
Formulas and insight on presentation
- Minori Matsuzawa from OU Innovation Hub Fablab
3D prints of Oklahoma Tornado totals by County



Thank you for your attention



rreyes@mesonet.org



Citations / references : AMS Paper June 2007

Population Influences on Tornado Reports in the United States

[Christopher J. Anderson](#)

Department of Agronomy, Iowa State University, Ames, Iowa

[Christopher K. Wikle](#) and [Qin Zhou](#)

Department of Statistics, University of Missouri, Columbia, Missouri

[J. Andrew Royle](#)

Patuxent Wildlife Research Center, U.S. Geological Survey, Laurel, Maryland

<http://journals.ametsoc.org/doi/full/10.1175/WAF997.1>

